

(c) Strain $\epsilon = \frac{e}{\ell}$

$$e = \epsilon \times \ell = (1.6 \times 10^{-4}) (0.50) = 8 \times 10^{-5} \text{ m}$$

Problem 16.4 A cable has an un-stretched length of 12 m and it is stretched by 1.2×10^{-4} meter when a stress of $6.4 \times 10^8 \text{ N/m}^2$ is applied. What is the strain energy per unit volume in the cable when this stress is applied?

Solution

$\ell = 12\text{m}$ $e = 1.2 \times 10^{-4} \text{ m}$ if $\sigma = 6.4 \times 10^8 \frac{\text{N}}{\text{m}^2}$ then $E_v = ?$

Strain energy per unit volume $E_v = \frac{1}{2} (\text{stress} \times \text{strain})$

$$E_v = \frac{1}{2} (\sigma \times \frac{e}{\ell})$$

$$E_v = \frac{1}{2} (6.4 \times 10^8 \times \frac{(1.2 \times 10^{-4})}{12}) = 3.2 \times 10^3 \text{ J m}^{-3}$$

Problem 16.5 Young's Modulus for a particular wood is $1 \times 10^{10} \text{ N/m}^2$. A wooden chair has four legs each of length 42 cm and cross sectional area $2 \times 10^{-3} \text{ m}^2$. Hamza has a mass of 100 kg. (a) What is the stress on each leg of the chair when Hamza stands on the chair? (b) By what amount do the chair legs shrink when Hamza stands on the chair?

Solution

$Y = 10^{10} \frac{\text{N}}{\text{m}^2}$ $\ell = 42\text{cm} = 0.42\text{m}$ $A = 2 \times 10^{-3} \text{ m}^2$

$m = 100 \text{ Kg}$ (a) Stress on each leg $\sigma = ?$ (b) $e = ?$

(a) Stress on each leg is same as stress on all the four legs of chair. Hence

Stress $\sigma = \frac{F}{A} = \frac{mg}{A} = \frac{100 \times 9.8}{2 \times 10^{-3}} = 5 \times 10^5 \frac{\text{N}}{\text{m}^2}$

(b) Young's modulus $Y = \frac{\sigma}{\epsilon} = \frac{\sigma \ell}{e}$ (as strain $\epsilon = \frac{e}{\ell}$)

Re-arranging $e = \frac{\sigma \ell}{Y} = \frac{(5 \times 10^5)(0.42)}{10^{10}} = 2.1 \times 10^{-5} \text{ m}$

Problem 16.6 A force of $1.5 \times 10^4 \text{ N}$ causes a strain of 1.4×10^{-4} in a steel cable of cross-sectional area $4.8 \times 10^{-4} \text{ m}^2$. (a) What is the Young's Modulus of steel cable? (b) Stress strain graph is linear for this cable. Calculate strain energy per unit volume stored in cable when cable has strain of 1×10^{-4} .

Solution

$F = 1.5 \times 10^4 \text{ N}$ Strain $\epsilon = 1.4 \times 10^{-4}$ $A = 4.8 \times 10^{-4} \text{ m}^2$

(a) $Y = ?$ (b) $E_v = ?$ if strain $\epsilon' = 10^{-4}$

(a) Young's modulus $Y = \frac{\text{stress}}{\text{strain}} = \frac{\sigma}{\epsilon} = \frac{F}{\epsilon A} = \frac{1.5 \times 10^4}{(1.4 \times 10^{-4})(4.8 \times 10^{-4})} = 2.2 \times 10^{11} \frac{\text{N}}{\text{m}^2}$

(b) Strain energy per unit volume

$$E_v = \frac{1}{2} (\text{stress} \times \text{strain})$$

$$E_v = \frac{1}{2} (\frac{F}{A} \times \epsilon') = \frac{1}{2} (\frac{1.5 \times 10^4}{4.8 \times 10^{-4}} \times 10^{-4}) = 1.56 \times 10^3 \text{ J m}^{-3}$$