Ear cases

<u>Traumatic drum</u>	■ Earache & discharge
<u>perforation</u>	 history of ear wash which was painful and associated with
	water coming from nostril of same side or with fluid
	trickling on throat
<u>Malignant OE</u>	Diabetic pateint
	■ Earache
	Minimal discharge
	 with granulations in EAC
ACOM	may lead to LMN fascial paralysis
<u>ASOM</u>	ChildOtalaja (naja)
	Otalgia (pain) Unparassariate metro et info et inn
	 Upper respiratory tract infection If shild, careago 2 multiple age.
ONAT / atitis mandin with	If child : scream & pull his earChild
OME (otitis media with	
<u>effusion</u>)	 diminution of hearing Upper respiratory tract infection
Complications of CSOM	opper respiratory tractimeters.
Complications of CSOM ✓ Acute Mastoiditis	pateint with history of ear discharge +\- drum perforation ✓ Pain behind ear & tenderness above tip of mastoid
✓ Meningitis	✓ Neck regidity or photophobia
✓ <u>L.S.thrombophlebitis</u>	✓ Rigor, headache & intermittent or spiky fever
✓ L.S.thrombophlebitis	✓ Headache, papilloedema, projectile vommitting &
, Brain abcess OR	blurring of vision >>>> increase in ICT
<u>Meningitis</u>	biotring of vision 2222 increase in ter
✓ Acute excerbation on	✓ Pulsating discharge
top of CSOM	r olsatilig alsella. ge
✓ <u>Labyrinthitis</u>	✓ Vertigo , nausea & vomitting
✓ <u>Petrositis</u>	✓ Diabetic pateint with facial pain & squint (Gradeingo's
	syndrome)
<u>Otosclerosis</u>	Middel aged female - pregnant -family history
	 bilateral hearing loss & tinnitus
	 with intact drum
	 hearing is improves in noisy environment
Meniere's disease	attacks of vertigo, tinnitus, hearing loss over years
	with aural fullness (patient feel as ear is about to explode)
Fascial n paralysis	Inability to close his eye of one side
	 deviation of angel of mouth to opposite

	,
Benign Paroxysmal	Sense of rotation of the surrounding objects which
<u>Positional Vertigo (</u>	increase with change of position
BPPV)	no diminution of hearing
	on examination ears were free
Longitudenal fracture of	car accident
temp bone	bloody otorhea
	traumatic perforation of TM
	 fascial paralysis (Inability to close his eye of one side –
	deviation of angel of mouth to opposite side)
Glomus tumor	Deafness (BC is better than AC)
	pulstaile tinnitus
	reddish drum
Acoustic Neuroma	progressive hearing loss – tinnitus –
	no abnormality in both ears – but SNHL (do MRI)
	may complicated by :
	cerebellar ataxia (swaying during walkimg) ,
	vagus paralysis (change in voice) ,
	fascial n paralysis ,
	trigeminal or fascial paralysis (loss of corneal reflrx)
Sq cell carcinoma of	male heavy smoker
<u>middle ear</u>	deep seated earache
	long history of deafness - tinnitus - discharge
	 reddish mass behind drum
Ramsy Hunt Syndrome	earache and diminution of hearing
	 insbility to close eye , deviation of mouth angle to other
	side (fascial n palsy)
	 days later vesicular eruption appear in ex auditory meatus
	and auricle
<u>Otomycosis</u>	Itching and deep pain in ear
	 history of swimming in swimming pool
	examination : white mass with black spots in ex. Aud.canal
Recurrent Furunclosis	Old male
	 earache become sevre on chewing and during speech
	 on examination pressure on tragus was painful, and there
	was small red swelling arise from anterior meatal wall
	 history of recurrent simillat attack
Preauriculat Fistula	Bilateral pinpoint depression in skin just in fronof the helix
	dated since birth

Nose cases

FB in the Nose	Child
	Unilateral Offensive Nasal Discharge
bilateral choanal	bilateral nasal obstruction and discharge
<u>atresia</u>	in newlyborne
	e' cyanosis
Atrophic rhinitis	bilateral Nasal obstruction & discharge (crusty)
	Anosmia
	epistaxis
	roomy nose
	crustations e' bad odour
<u>Rhinoscleroma</u>	bilateral Nasal obstruction & discharge (crusty)
	Bilateral Nasal Masses at muco-cutaneous junction
	deformity(fibrotic stage)
	May lead to :
	if there is hoarseness of voice >>>>> <u>laryngeoscleroma</u>
	if there is epiphora >>>>> <u>dacroscleroma</u>
	if there is shortening and deformity of uvula >>>>>>
	pharyngeoscleroma
Allergic nasal polyps	Nasal obstruction
	history of sneezing, lacrimation, rhinorrhea which sometimes
	become yellowish green
	dull headache
	anosmia
	Snoring & attacks of sleep
	bilateral multiple glistening grape like mobile nasal masses
	(attached to the wall)
<u>antrochoanal nasal</u>	unilateral single nasal mass passing through choana
polyp	
<u>CSF rhinorhoea</u>	accident
	unilateral watery nasal discharge
	headache
<u>oroantral fistula</u>	nasal offensive discharge
	pain in the affected side of face
	regurgitation of fluid
	history of teeth of extraction

chronic sinusitis	history of recurrent attacks of bilateral nasal obustraction &
	discharge ,
	headache (dull aching pain over forehead)
	fascial pain
	no masses in nose
	may lead to :
	orbital complication
	eye proptosis
	edema of eyelid
	■ pain
	 limitatioms of eye movement
	visual diminution
	♣ frontal lobe abcess
	drowsiness
	behavioral change
	vomitting
	blurred vision)
fracture nose	history of trauma to the nose
	epistaxis
nasal diphtheria	Child
	unialteral nasal offensive discharge e' greyish pseudomembrane
Septal haematoma	Bilateral nasal obustraction with discharge
	Nasal pain
	no fever
	History of blunt trauma
	Swelling of septum

Pharynax

<u>Adenoid</u>	Child snoring sleep apnea bilateral nasal discharge any sign of adenoid facies, CHL, may lead to secretory otitis media (mucois basal discarge & bilateral retracted drum)
Acute tonsillitis	Fever rapid pulse Sore throat dysphagis jugulodigastric LNs enlagement.
<u>Chronic tonsillitis</u>	Recurrent acute attack low grade fever otalgia asymetrically enlaged tonsilles jugulodigastric LNs enlagement.
Quinsy (peritonsillar abcess)	History of acute tonsillitis (fever, dysphagia) throbbing pain Unilateral swelling above & lateral to tonsile jugulodigastric LNs enlagement Neck pain referred to ear
Parapharengeal abscess	Fever, thore throat, dysphagia, throbbing pain BECK's triad: 1-Internal swelling (lat. to tonsile) 2-Ext. swelling: Below & behind angle of mandible deep to ant. border of strenomastoid 3-Trismus.
retropharyngeal abcess	Infant Difficult breathing difficult sucking examination show swelling on post pharyngeal wall lateral to midline, feverish
chronic retropharyngeal abcess (chold abcess)	Adult Difficult breathing & difficult swallowing examination swelling on post pharyngeal wall in midline

<u>Angiofibroma</u>	male
	teenage (Young boy)
	unilateral nasal obstructio
	severe epistaxis
Nasopharyngeal	male
<u>carcinoma</u>	45 years
	heavy smoker
	unilateral nasal obstruction
	unilateral CHL (through ET)
	Trotter's triad:
	Unilateral trigeminal facial pain.
	Unilateral palatal immobility.
	❖ Unilateral CHL
plummer vinson	Progressive dysphagia first to solids
<u>syndrome</u>	loss of weight – pallor
	glazed tougue (glossitis)
	CBC microcytic hypochromic anaemia
	xray with barium show web formation at upper part of
	esophagus may lead to postcricoid carcinoma
hypopharyngeal (post	Dysphagia for solids
cricoid) carinoma	loss of weight
	neck swelling
	loss of laryngeal click
carcinoma of pyriform	Chronic Earache
<u>fossa</u>	sweeling appear in side of neck
	recentlr change of voice & dysphagia
	examination show froth behind It side of larynax
<u>ludwing's angina</u>	Dental caries , gingivitis
	congested elevated floor of mouth
	submandibular and submental swelling
	sevre dysphagia
	fever
	pain in floor of mouth
	stifness In tongue movement

Esophagus

Reflux esophagitis :	Hyperacidity
	hoarseness of voice
	attacks of sleep apnea
Cardiac achalasia:	Dysphagia more to fluids
	no wasting , no loss of weight
	xray with barium show dilatation of lower part of esophagus
Cancer esophagus	Progressive Dysphagia
	Loss of weight
	Hoarseness of voice
	Refarred otalgia

Larynax

<u>Unilateral vocal cord</u>	Hoarseness of voice after neck surgery
<u>paralysis :</u>	
Bilateral vocal cord	difficulty in breathing (stridor)
<u>paralysis</u>	Thyroidectomy (neck surgery)
Laryngeal carcinoma	Old man
	chronic heavy smoker
	progressive hoarsness of voice (persist and not releaved)
	vocal cord polypoid masses (there may be vocal cord paralysis
	or cough & haemoptysis due to lung metastasis)
Inhaled foreign body (Young boy
<u>in the airway)</u>	sudden respiratory difficulty
	cough & dyspnea
acute non specific	Child
<u>laryngitis</u>	has common cold
	2 days later has inspiratory stridor , cough , hoarsness
<u>Laryngomalacia</u>	Newlyborn Infant
	intermittent attacks of inspiratory stridor and diminsh slightly at
	sleep
	no hoarsness no fever and child is of good health
	examination show collapse of larynax or curling of glottis
Congenital web	Newlyborn Infant - no fever
	inspiratory stridor after birth and persist by day and night

<u>Laryngismus stridulus</u>	Child
(decrease Ca):	attack of stridor at night
	carpopedal spasm may be present
	improve after deep breath
	child is umdernourished
<u>Laryngeoscleroma</u>	Female
	sevre stridoe
	examination of nose show bilateral nasal masses or crustations
<u>Laryngeal polyp</u>	Male smoker
	hoarseness of voice
	on examination small pedunculated grayish mass that get up
	with expiration and down by inspiration
Leukoplakia of vocal	Male
<u>cords</u>	smoker
	hoarseness of voice
	respiratory distress
	on examination billateral firm tender upper neck swellings (
	metastasis)
<u>Pyriform fossa</u>	Chronic earache
<u>malignancy</u>	swelling on side of neck progressive enlarge
	change in voice and dysphagia
	on examination there was froth behind larynax
<u>Thyroglossal cyst</u>	Child
	tender painful midline swelling
	move upward and down with swallowing and tongue protrusion
Thyroid swelling	Neck swelling move up and down with deglutition
Multible 	Boy
<u>papillomatosis</u>	change in voice
	then stridor that need tracheostomy
	examination show multible polypi
A .	recuurence after removal
<u>Acute</u>	Child
<u>laryngeotreacheo</u>	Nasal obustracton with water rhinorhea (common cold)
<u>bronchitis</u>	Fever
	Cough with expectoration
	Respiratory distress (may the case need immediate
	tracheostomy then it relieve)

N.B:

- 1) bilateral nasal obstruction in children most commonly adenoid
- 2) history of sever epistaxis in a boy...... angiofibroma
- 3) commonest cause of epistaxiin old age hypertension
- 4) Different Incisions for Treatment of Pharyngeal Suppuration
 - ✓ Quinsy: INTERNAL incision (most pointing point or midpoint between uvula & last upper molar)
 - ✓ Parapharyngeal Abcess: EXTERNAL incision, Along the ANTERIOR border of Sternomastoid muscle
 - ✓ Acute Retropharyngeal Abcess: INTERNAL incision, Vertical with head low down
 - ✓ <u>Chronic Retropharyngeal Abcess (Cold Abcess)</u>: EXTERNAL incision, Along the POSTERIOR border of sternomastoid

5) d.d of offensive ear discharge:

- Cholesteatoma.
- ➤ F.B.
- otomycosis.

6) **Especially in diabetics**

- Malignant O.E
- Petrositis.
- Fungal infection of the nose.

7) D.D of offensive nasal discharge:

- F.B. (unilateral)
- oro-antral fistula (unilateral)
- Rhinoscleroma(bilateral)
- chronic atrophic rhinitis(bilateral)
- Nasal diphteria
- Isolated maxillary sinusitis(of dental origin)

- 8) Nasal polypi are seen in:
 - ✓ Allergic fungal sinusitis.
 - ✓ Allergic rhinosinusitis.
 - ✓ aspirin sensitivity or intolerance
- 9) in acute inflammation : ear wash is contraindicated
- 10) in drum perforation : Nothing per ear
- 11) in **OME** we try medical ttt for 3 month aat least then we do myringotomy &tube BUT almost cases recover with medical ttt & myringotomy is done in ANTROSUPERIOR part of the drum
- 12) in all complications of OM main investigation is CT to confirm diagnosis and exclude other complications
- 13) While main ttt is Radical mastoidectomy (in almost cases) TO CURE UNDERLYING CAUSE OF COMPLICATION then we do symptomatic ttt according to complication
- 14) lateral sinus thrombophelibitis may be Asymptomatic being covered by **ANTIBIOTICS**
- 15) Reversible SNHL occurs in
 - ✓ serous labrynthitis
 - ✓ menieres disease